

Package: tomledits (via r-universe)

October 11, 2025

Type Package

Title Modify TOML config files

Version 0.1.0

Description Bindings to toml-edit to work with TOML data preserving comments and whitespace.

License MIT + file LICENSE

Encoding UTF-8

Imports jsonlite, V8 (>= 8.0.1)

RoxygenNote 7.3.2

Roxygen list(markdown = TRUE)

Config/pak/sysreqs libssl-dev libnode-dev

Repository <https://test.r-universe.dev>

Date/Publication 2025-10-10 08:35:14 UTC

RemoteUrl <https://github.com/jeroen/tomledits>

RemoteRef HEAD

RemoteSha f18b677838be82818b08cb8a96326755f52c7045

Contents

tomledits	1
Index	3

tomledits	<i>Parse or Edit TOML files</i>
-----------	---------------------------------

Description

The `toml_edit()` function modifies values in a TOML retaining order, comments, and whitespace.

Usage

```
read_toml(file, as_json = FALSE)

parse_toml(toml, as_json = FALSE)

write_toml(x, auto_unbox = TRUE)

edit_toml(toml, field, value)
```

Arguments

file	path to file with toml text
as_json	return output as json string instead of R list
toml	string
x	vector or json string to convert to TOML
auto_unbox	convert atomic vectors of length 1 as scalars in TOML, unless they are wrapped in I(). See also jsonlite::toJSON .
field	name of field to change, for example package.version.
value	new value of field to set.

References

[toml-edit-js examples](#)

Examples

```
toml <- readLines('https://raw.githubusercontent.com/posit-dev/air/refs/heads/main/Cargo.toml')
toml <- edit_toml(toml, 'workspace.package.rust-version', '1.84')
toml <- edit_toml(toml, 'workspace.dependencies.bla', list(path = "./yolo", rev = "123"))
```

Index

`edit_toml (tomledits)`, [1](#)

`jsonlite::toJSON`, [2](#)

`parse_toml (tomledits)`, [1](#)

`read_toml (tomledits)`, [1](#)

`tomledits`, [1](#)

`write_toml (tomledits)`, [1](#)